



Index

A

- ADR (Automatic Diagnostic Repository) 4-39
- ALL 19-20
- ALTER
 - DISKGROUP 5-18, 5-21, 5-29, 5-31
 - FLASHBACK ARCHIVE 12-25
 - INDEX INVISIBLE 16-6
 - ROLE 19-18
 - TABLE 12-28, 13-32, 13-37
 - TABLESPACE 11-6, 11-7, 11-10, 11-15, 11-16
 - UNDO TABLESPACE 12-6
 - USER 5-15, 18-9
- ALTER DATABASE
 - ADD LOGFILE 9-9, 9-16
 - ARCHIVELOG 9-18
 - BACKUP CONTROLFILE 8-8
 - CLOSE 6-8
 - CREATE DATAFILE 11-13
 - DATAFILE OFFLINE 9-17, 11-12
 - DATAFILE ONLINE 11-12
 - DATAFILE RESIZE 11-7
 - DEFAULT TABLESPACE 3-8, 10-7
 - DEFAULT TEMPORARY 3-8
 - DROP LOGFILE 9-11, 9-14, 9-16
 - MOUNT 4-27, 8-15
 - NOARCHIVELOG 9-17, 9-18
 - OPEN 4-27, 6-8, 8-15
 - READ ONLY 4-27
 - READ WRITE 4-27
 - RENAME FILE 11-17
 - SET DEFAULT 10-9
 - SUPPLEMENTAL LOG DATA 12-17, 12-22
- ALTER SESSION
 - PARALLEL DML 15-14, 15-20
 - PARALLEL QUERY 15-14
 - SET CONTAINER 6-7
 - SET ISOLATION_LEVEL 1-18
 - TIME_ZONE 13-5, 13-6
- ALTER SYSTEM
 - CHECKPOINT 9-4, 9-9, 9-16
 - KILL SESSION 4-35
 - RESET 4-20, 4-22, 8-10
 - SET 4-20, 8-3, 8-8, 8-14, 9-7, 10-12, 10-13
 - SWITCH LOGFILE 9-7, 9-16
- ALTER TABLE
 - ADD CONSTRAINT 13-37
 - ADD PARTITION 17-17
 - DISABLE CONSTRAINT 13-39
 - DROP COLUMN 13-33
 - DROP CONSTRAINT 13-38
 - DROP UNUSED 13-34
 - MERGE PARTITIONS 17-18
 - MODIFY PARTITION 17-21
 - MOVE 15-6, 15-12, 15-13
 - READ ONLY 13-40
 - RENAME 13-36
 - RENAME PARTITION 17-20, 17-21
 - ROW MOVEMENT 15-14, 17-6
 - SET UNUSED 13-34
 - SHRINK SPACE 15-14
 - TRUNCATE PARTITION 17-22
- ANALYZE
 - LIST CHAINED ROWS 15-5
 - VALIDATE STRUCTURE 16-24
- ARCHIVE LOG LIST 9-17
- ASC 16-3
- asmadmin 2-5
- ASMCMD 5-35
- asmdba 2-5
- ASMTOOL 2-31
- AUTOCOMMIT 12-20
- AUTOT[RACE] 16-5

B

- backupdba 2-5
- BINARY_DOUBLE
 - BINARY_DOUBLE_INFINITY 13-4
 - BINARY_DOUBLE_MAX_NORMAL 13-4
 - BINARY_DOUBLE_MAX_SUBNORMAL 13-4
 - BINARY_DOUBLE_MIN_NORMAL 13-4
 - BINARY_DOUBLE_MIN_SUBNORMAL 13-4
 - BINARY_DOUBLE_NAN 13-4
- BINARY_FLOAT
 - BINARY_FLOAT_INFINITY 13-4
 - BINARY_FLOAT_MAX_SUBNORMAL 13-4
 - BINARY_FLOAT_MIN_NORMAL 13-4
 - BINARY_FLOAT_MIN_SUBNORMAL 13-4
 - BINARY_FLOAT_NAN 13-4

BINARY_MAX_NORMAL 13-4
 BITMAP 16-3
 BMB (BitMap Blocks) 14-14

C

CASCADE CONSTRAINTS
 13-35, 13-36, 13-40, 19-13
 Chaînage d'enregistrements 15-4
 CHECK 13-20, 13-23
 Colonnes 13-2
 Commande Linux
 fdisk 2-28
 rpm 2-27
 uname 2-26
 Commande Windows
 diskmgmt.msc 2-29
 diskpart 2-30
 CON_ID 6-7
 CON_NAME 6-7
 CONNECT
 AS SYSASM 2-26, 5-13
 AS SYSDBA 2-26, 4-4, 4-6, 4-7, 5-13
 Rôle 19-20
 CONNECT_DATA 7-4, 7-11, 7-12, 7-15
 CONSTRAINT 13-20
 Container Database CDB 6-3
 coraenv 2-21
 CREATE
 CREATE ROLE 19-16
 DATABASE 3-7, 4-2, 6-4, 10-8, 13-2
 DATABASE LINK 7-32
 DIRECTORY 13-19
 DISKGROUP 5-21, 5-25
 FLASHBACK ARCHIVE 12-25
 INDEX 16-2
 INDEX BITMAP 16-18
 PLUGGABLE 6-9, 6-11
 PROFILE 18-4
 SPFILE 3-6
 TABLE 16-22
 TABLESPACE 10-4, 10-15, 10-18, 14-7
 UNDO TABLESPACE 12-6
 USER 18-5
 CREATE SESSION 18-6
 CREATE TABLE
 AS 15-19
 AS SELECT 13-18
 COMPRESS 15-19
 COMPRESS FOR OLTP 15-22
 COMPRESS ROW OLTP 15-24
 LOB STORE AS 13-15
 PARTITION BY HASH 17-3
 PARTITION BY SYSTEM 17-4
 Syntaxe 13-10
 TEMPORARY 13-17
 CRSCTL 5-3
 CURRENT_DATE 13-6

CURRENT_TIMESTAMP 13-6

D

dba 2-5, 4-6
 DBA 19-21
 DBMS_FLASHBACK
 DISABLE 12-15
 ENABLE_AT_SYSTEM_CHANGE_NUMBER
 12-15
 ENABLE_AT_TIME 12-15
 GET_SYSTEM_CHANGE_NUMBER 12-11, 12-15
 TRANSACTION_BACKOUT 12-22
 DBMS_REDEFINITION
 CAN_REDEF_TABLE 15-14
 COPY_TABLE_DEPENDENTS 15-15
 FINISH_REDEF_TABLE 15-15
 START_REDEF_TABLE 15-15
 SYNC_INTERIM_TABLE 15-15
 DBMS_SPACE
 ASA_RECOMMENDATIONS 15-11
 SPACE_USAGE 14-15
 UNUSED_SPACE 14-16
 DBTIMEZONE 13-5
 DEFAULT 13-11, 13-32
 DESC 16-3
 dgdba 2-5
 DISABLE 13-39
 DROP
 CONSTRAINT 13-38
 DISKGROUP 5-29
 PLUGGABLE 6-14
 ROLE 19-18
 TABLE 13-40
 TABLE CASCADE CONSTRAINTS 13-40
 TABLESPACE 11-21
 USER 18-11

E

ENABLE 13-39
 ERROR
 ORA-00001 13-24, 13-27
 ORA-00205 8-16
 ORA-00214 8-14, 8-16
 ORA-00264 8-10
 ORA-00372 11-15
 ORA-00376 11-14
 ORA-00845 2-2
 ORA-00904 13-14
 ORA-00942 13-14
 ORA-01017 18-6
 ORA-01031 4-7, 4-25, 5-13
 ORA-01033 4-25
 ORA-01045 18-6
 ORA-01081 4-26
 ORA-01122 8-16
 ORA-01219 4-25

ORA-01378.....9-10
 ORA-01400.....13-23
 ORA-01502.....15-13
 ORA-01507.....4-28
 ORA-01555.....12-4
 ORA-01950.....18-7
 ORA-02291.....13-28
 ORA-02292.....13-29, 13-36
 ORA-02437.....13-40
 ORA-03262.....11-7
 ORA-12081.....13-40
 ORA-12514.....7-5, 7-22
 ORA-12541.....7-22
 ORA-12560.....3-4
 ORA-15097.....5-14
 ORA-28000.....18-8
 ORA-29339.....10-11
 ORA-30036.....12-4, 12-5
 ORA-32774.....10-10
 ORA-65086.....6-16
 Espace de disque logique1-4
 EXCEPT19-20
 EXECUTE1-9, 1-24
 ezconnect.....7-9

F

FAILED_LOGIN_ATTEMPTS18-2
 FETCH.....1-9, 1-24
 Fichier d'alerte4-37
 Fichier de mot de passe.....1-3
 Fichier de paramètres
1-3, 1-28, 3-6, 4-17, 4-22, 5-17, 8-8, 8-10
 Fichier de trace.....4-38
 Fichiers de contrôle.....1-3, 4-23
 Fichiers de données.....1-2, 4-24
 Fichiers journaux1-3, 1-22, 4-24
 Fichiers journaux archivés1-3
 Fichiers redo-log Fichiers journaux
 FLASHBACK TABLE.....12-28, 12-32
 FOREIGN KEY13-20
 FULL SCAN.....15-6, 16-5

G

GLOBAL TEMPORARY13-17
 GRANT.....19-5, 19-8

H

HINT
 APPEND15-19
 HWM15-6

I

IDENTIFIED BY.....19-5, 19-20
 Index bitmap16-14

Index bitmap de jointure16-18
 Index B-tree16-7
 ini.ohasd5-2
 INTRANS14-14
 inittab5-2
 INSERT.....13-11, 17-4
 Installation
 Enterprise Edition.....2-18
 Personal Edition2-18
 Standard Edition.....2-18
 Standard Edition One2-18

K

kmdba.....2-5

L

Lignes.....13-2
 LISTENER.....7-13, 7-14, 7-32
 listener.ora.....7-11, 7-12, 7-17, 7-20
 LOCALTIMESTAMP13-6
 LOCK TABLE1-20
 LSNRCTL.....7-23
 CHANGE_PASSWORD7-20
 RELOAD7-20, 7-21
 SERVICES.....7-20
 START7-20, 7-21
 STATUS.....7-20
 STOP.....7-20, 7-21
 TRACE.....7-20
 VERSION7-20

M

MAXDATAFILES3-8, 8-8
 MAXINSTANCES3-8, 8-8
 MAXLOGFILES3-7, 8-8
 MAXLOGHISTORY3-7, 8-8
 MAXLOGMEMBERS.....3-7, 8-8
 MEMORY_TARGET2-2
 Migration d'enregistrements15-3
 Mode d'archivage
 ARCHIVELOG.....1-30, 9-18, 11-13, 12-17
 NOARCHIVELOG1-30, 9-17
 Mode de démarrage
 MOUNT4-22, 4-24, 4-27, 8-7, 9-18, 11-17
 NOMOUNT4-22, 4-24, 4-27, 8-14
 OPEN4-22, 4-24, 4-27, 11-17

N

NATIONAL CHARACTER13-2
 netca2-36
 NOT NULL.....13-11, 13-20, 13-22, 13-32
 NULL.....13-22, 13-32
 NUMTOYMINTERVAL.....17-9

O

OCI (Oracle Call Interface) 7-2
 OEM Cloud Control 3-13
 OFA (Optimal Flexible Architecture)..... 2-6
 oinstall 2-5
 OMF (Oracle Managed Files)..... 3-15, 6-5, 6-10, 8-2
 ON COMMIT 13-17
 ON DELETE CASCADE 13-29
 ON DELETE SET NULL 13-30
 oper 4-6
 ORA_<SID>_DBA 4-3
 ORA_<SID>_OPER 4-3
 ORA_ASMDBA 2-6
 ORA_ASMOPER 2-6
 ORA_DBA 2-6, 4-3
 ORA_OPER 2-6, 4-3
 ORA_ROWSCN 12-11
 Oracle Database Express 3-13
 ORACLE_HOME 2-25, 7-12, 18-3
 ORACLEASM
 CONFIGURE 2-27
 CREATEDISK 2-28
 DELETEDISK 2-28
 EXIT 2-27
 INIT 2-27
 LISTDISKS 2-28
 SCANDISK 2-28
 STATUS 2-27
 ORADIM 3-4
 oraenv 2-21
 ORAPWD 4-6
 oratab 2-21
 ORDER BY 3-22
 OSDBA 2-4
 OSOPER 2-4

P

Package
 DBMS_CONNECTION_POOL 7-16
 DBMS_FLASHBACK 12-11, 12-15, 12-22
 DBMS_PDB 6-17
 DBMS_ROWID 15-8
 DBMS_SERVICE 7-6
 DBMS_SPACE 14-15
 Paramètre
 ASM_DISKGROUPS 5-18, 5-30
 ASM_DISKSTRING 5-18
 ASM_POWER_LIMIT 5-18, 5-31
 AUDIT_FILE_DEST 4-14
 AUDIT_SYS_OPERATIONS 4-15
 AUDIT_TRAIL 4-15
 CLUSTER_DATABASE 4-9
 COMPATIBLE 4-9
 CONTROL_FILE_RECORD_KEEP_TIME .. 4-12
 CONTROL_FILES 4-12, 8-10, 8-12
 DB_BLOCK_CHECKING 4-14

DB_BLOCK_CHECKSUM 4-14
 DB_BLOCK_SIZE 1-4, 3-21, 4-12, 10-10, 14-3
 DB_CACHE_ADVICE 4-12
 DB_CACHE_SIZE 3-20, 4-11
 DB_CREATE_FILE_DEST
 3-15, 3-16, 4-12, 8-3, 10-2
 DB_CREATE_ONLINE_LOG_DEST_n
 4-12, 8-3, 9-11, 9-16
 DB_CREATE_ONLINE_LOG_DEST_N 3-16
 DB_DOMAIN 3-3, 3-13, 4-9, 5-8
 DB_FILE_MULTIBLOCK_READ_COUNT. 4-12
 DB_FILES 4-12, 8-8
 DB_IO_SLAVES 1-28
 DB_KEEP_CACHE_SIZE 4-11
 DB_NAME 1-2, 3-2, 3-13, 4-9, 5-8, 8-7
 DB_nk_CACHE_SIZE 4-11
 DB_nK_CACHE_SIZE 10-10
 DB_RECOVERY_FILE_DEST 3-17, 4-12, 8-4
 DB_RECOVERY_FILE_DEST_SIZE
 3-17, 4-12, 8-4, 9-19
 DB_RECYCLE_CACHE_SIZE 4-12
 DB_UNIQUE_NAME
 3-3, 3-13, 3-15, 4-10, 5-8, 5-17, 8-4
 DB_WRITER_PROCESSES 1-28
 DIAGNOSTIC_DEST 4-13
 DISPATCHERS 4-15
 FAST_START_MTTR_TARGET 9-7
 IFILE 4-13
 INSTANCE_NAME 1-6, 3-3, 3-13, 4-9, 7-4
 INSTANCE_TYPE 4-9, 5-13, 5-17
 JAVA_POOL_SIZE 1-14, 3-20, 4-11
 LARGE_POOL_SIZE 1-14, 3-20, 4-11
 LOCAL_LISTENER 7-25
 LOCK_SGA 4-12
 LOG_ARCHIVE_DEST_n 4-13, 9-19
 LOG_ARCHIVE_DEST_STATE_n 4-13
 LOG_ARCHIVE_FORMAT 4-13, 9-19
 LOG_BUFFER 1-22, 4-11
 MAX_DUMP_FILE_SIZE 4-14
 MAX_SHARED_SERVERS 4-15
 MEMORY_MAX_TARGET 4-10
 MEMORY_TARGET 3-19, 4-10
 NLS_CURRENCY 4-15
 NLS_DATE_FORMAT 4-15
 NLS_DATE_LANGUAGE 4-15
 NLS_LANGUAGE 3-22, 4-15
 NLS_TERRITORY 3-22, 4-15
 OPEN_CURSORS 4-13
 OPTIMIZER_USE_INVISIBLE_INDEXES .. 16-6
 PGA_AGGREGATE_LIMIT 4-10
 PGA_AGGREGATE_TARGET ... 1-12, 3-19, 4-10
 PROCESSES 4-13, 5-19
 PROCESSUS 3-21
 RECYCLEBIN 4-14, 12-33
 REMOTE_LOGIN_PASSWORDFILE
 4-3, 4-4, 4-7, 4-14
 SEC_CASE_SENSITIVE_LOGON 4-15, 18-6
 SEC_MAX_FAILED_LOGIN_ATTEMPTS.. 4-15

- SESSIONS 4-13
 SGA_MAX_SIZE 4-10
 SGA_TARGET 3-19, 4-10
 SHARED_POOL_SIZE 1-7, 3-20, 4-11
 SHARED_SERVERS 4-15
 SPFILE 4-13
 STATISTICS_LEVEL 4-14
 STREAMS_POOL_SIZE 1-14, 4-11
 TRANSACTIONS 4-13
 UNDO_MANAGEMENT 4-14, 10-18
 UNDO_RETENTION 4-14, 12-7
 UNDO_TABLESPACE 4-14
- PARSE 1-9, 1-24
 PARTITION(nom) 17-4
 PASSWORD_GRACE_TIME 18-3
 PASSWORD_LIFE_TIME 18-2
 PASSWORD_LOCK_TIME 18-3
 PASSWORD_REUSE_MAX 18-2
 PASSWORD_REUSE_TIME 18-2
 PASSWORD_VERIFY_FUNCTION 18-3
 PCTFREE 14-14, 15-2, 15-21
 PFILE 4-17, 5-17
 Pluggable Database PDB 6-3
 PRESERVE 13-17
 PRIMARY KEY 13-20, 13-24, 13-27, 13-39
- Privilège objet
 ALTER 19-4
 DELETE 19-4
 EXECUTE 19-4
 INSERT 19-4
 READ 19-4
 REFERENCE 19-4
 SELECT 19-4
 UPDATE 19-4
- Processus
 ARBn 5-16
 ARCH 1-30, 9-6, 9-18
 CJQn 1-32
 CKPT 1-29
 CTWR 1-32
 D000 1-32
 DBWn 1-27, 9-2
 GMON 5-17
 J000 1-32
 LGWR 1-23, 1-28, 1-30, 5-17, 9-2
 MARK 5-17
 MMAN 1-32
 MMNL 1-32
 MMON 1-31
 PMON 1-31, 7-24
 PSPn 5-17
 Q000 1-32
 QMNC 1-32
 RBAL 5-17
 RECO 1-31
 RVWR 1-32
 SMON 1-31, 5-17
 VKTM 5-17
- Processus serveur 1-2, 1-9, 1-11
 Processus utilisateur 1-2, 1-6, 1-11
 PURGE 12-33
- ## R
- REFERENCES 13-20, 13-27, 13-29, 19-13
 RENAME 13-36
 RESSOURCE 19-20
 REVOKE 19-13
 ROWID 15-3, 15-8, 16-2, 16-3, 16-9
 runinstaller 2-35
- ## S
- SCN (System Change Number) 1-22, 1-23
 SCN_TO_TIMESTAMP 12-10
 SELECT
 AS OF SCN | TIMESTAMP 12-11
 VERSIONS BETWEEN 12-13
 SERVER 7-15
 SERVICES_NAMES 7-4
 SESSIONTIMEZONE 13-5
 SET ROLE 19-20
 SHOW RECYCLEBIN 12-31
 SHUTDOWN
 ABORT 4-30, 5-14
 IMMEDIATE 4-30, 4-31
 NORMAL 4-30, 4-31
 TRANSACTIONAL 4-30, 4-31
 SID 7-4
 SID_DESC 7-11
 SID_LIST_LISTENER 7-26, 7-28
 SPFILE 4-17, 5-17
 sqlnet.ora 7-9, 7-12
 SRVCTL
 ADD 2-37, 5-8, 7-7, 7-30
 CONFIG 5-9, 7-7, 7-30
 START 2-37, 5-9, 7-7, 7-30
 STATUS 2-37, 5-9, 7-7, 7-30
 STOP 5-9
 STARTUP
 FORCE 4-24
 MOUNT 4-24, 5-14
 NOMOUNT 5-14
 OPEN 4-24
 READ ONLY 4-24
 READ WRITE 4-24
 RESTRICT 4-24, 5-14
 SYSASM 2-26
 SYSDBA 2-4, 2-26, 4-2, 4-3, 19-3
 SYSOPER 2-4, 4-2
 SYSTIMESTAMP 13-6
- ## T
- Table
 CHAINED_ROWS 15-5

Tablespace

ALTER	11-7, 11-10, 11-15, 11-16
BIGFILE	3-9, 10-5, 10-9, 11-7
DEFAULT	3-8
DEFAULT PERMANENT	10-7
DEFAULT TEMPORARY	3-8, 10-3, 10-18
DROP	11-21
ENCRYPTION USING	10-13
EXTENT MANAGEMENT	14-7
MANAGEMENT LOCAL	3-8
OFFLINE	10-6, 11-10
ONLINE	10-6, 11-10
READ ONLY	11-15
SMALLFILE	3-9, 10-5, 11-6, 11-7
SYS_UNDOTS	10-18
SYSAUX	3-8, 10-3, 10-8
SYSTEM	3-8, 10-3, 10-8
TEMPORARY	10-15
UNDO	10-4, 10-18
Tablespaces	1-4, 2-9, 4-37
TIME_ZONE	13-6
TIMESTAMP_TO_SCN	12-10
TNS_ADMIN	7-12
TNSLSNR	7-19
tnsnames.ora	7-9, 7-11, 7-12
TNSPING	7-31
Transaction	
COMMIT	1-15, 1-31
ROLLBACK	1-15
SAVEPOINT	1-15
Type de donnée	
BFILE	13-10
BINARY_DOUBLE	13-4
BINARY_FLOAT	13-4
BLOB	13-10
CHAR	3-21, 13-3, 13-13
CLOB	3-21, 13-3, 13-10
DATE	13-6
INTERVAL DAY TO SECOND	13-9
INTERVAL YEAR TO MONTH	13-9, 17-9
LOB	13-10, 13-15
LONG	3-21
NCHAR	3-22, 13-3
NCLOB	3-22, 13-3, 13-10
NUMBER	13-3, 13-13
NVARCHAR2	3-22, 13-3
ROWID	13-9
TIMESTAMP	13-6
TIMESTAMP WITH LOCAL TIME ZONE ..	13-7
TIMESTAMP WITH TIME ZONE	13-6
UROWID	13-9
VARCHAR2	3-21, 13-3, 13-13

U

UNIQUE	13-20, 13-26, 13-27, 16-3
UTC	13-5

V

V\$ARCHIVED_LOG	9-23
V\$RMAN_ENCRYPTION_ALGORITHMS ...	10-12
V\$TIMEZONE_NAMES	13-5
Variable d'environnement	
ORACLE_BASE	2-6, 2-23, 3-3
ORACLE_HOME	
2-7, 2-23, 2-25, 3-10, 3-12, 4-6, 5-8, 5-13, 5-35	
ORACLE_SID	2-23, 3-3, 3-4, 4-6, 5-13, 5-35
PATH	4-6, 5-13
PERL5LIB	6-7
TNS_ADMIN	2-32
Vue du dictionnaire	
ALL_CONS_COLUMNS	13-22
ALL_CONSTRAINTS	13-21
DATABASE_PROPERTIES	
.....	3-22, 10-8, 10-9, 10-18, 13-6
DBA_CONSTRAINTS	13-24
DBA_DATA_FILES	10-10, 11-4
DBA_DIRECTORIES	13-19
DBA_EXTENTS	14-7
DBA_FLASHBACK_ARCHIVE	12-26, 12-27
DBA_FLASHBACK_ARCHIVE_TS	12-26
DBA_FLASHBACK_TXN_REPORT	12-25
DBA_FLASHBACK_TXN_STATE	12-25
DBA_PROFILES	18-13
DBA_RECYCLEBIN	12-31
DBA_REGISTRY	3-11
DBA_SEGMENTS	14-6, 14-12
DBA_SERVICES	7-6
DBA_TABLESPACE_GROUPS	11-3
DBA_TABLESPACES	
.....	10-10, 10-16, 11-2, 12-6, 14-8
DBA_TEMP_FILES	10-16, 11-5
DBA_USERS	18-12, 18-14
FLASHBACK_TRANSACTION_QUERY ..	12-18
SESSION_PRIVS	19-2
USER\$	18-14
USER_CONS_COLUMNS	13-22
USER_CONSTRAINTS	13-21
V\$PDBS	6-8
Vue dynamique	
CDB_PDBS	6-8
V\$ASM_ALIAS	5-20, 5-31
V\$ASM_ATTRIBUTE	5-21, 5-27, 5-34
V\$ASM_CLIENT	5-21
V\$ASM_DISK	5-19, 5-25, 5-27, 5-31
V\$ASM_DISK_IOSTAT	5-21
V\$ASM_DISK_STAT	5-21
V\$ASM_DISKGROUP	5-19, 5-27, 5-31, 5-34
V\$ASM_DISKGROUP_STAT	5-22
V\$ASM_FILE	5-20, 5-31
V\$ASM_OPERATION	5-20
V\$ASM_TEMPLATE	5-20, 5-25
V\$CONTROLFILE	4-35, 8-7, 8-11
V\$CONTROLFILE_RECORD_SECTION ...	8-12
V\$DATABASE	3-9, 4-35, 9-5, 9-21

- V\$DATABASE8-7
V\$DATAFILE 4-29, 4-36, 8-7, 9-5, 11-5
V\$DATAFILE_HEADER4-36, 9-5
V\$DIAG_INFO 4-38, 4-39, 8-8
V\$FIXED_TABLE4-33
V\$INSTANCE.....4-35, 9-21
V\$INSTANCE_RECOVERY.....9-7
V\$LOG9-7
V\$LOG_HISTORY9-23
V\$LOGFILE 4-29, 4-36, 8-7, 9-4
V\$OPTION4-34
V\$PARAMETER
 3-20, 3-22, 4-16, 4-20, 4-22, 4-29, 6-3, 6-14, 8-12
V\$PROCESS 3-21, 4-34, 5-16
V\$PWFILERS4-8
V\$SESSION4-34, 7-5
- V\$SGA_DYNAMIC_COMPONENTS4-33
V\$SGAINFO4-33
V\$SPPARAMETER 4-18, 4-20, 4-22, 4-33
V\$SYSTEM_PARAMETER4-16
V\$TABLESPACE.....4-36, 11-4
V\$TEMPFILE.....11-5
V\$THREAD.....4-36
V\$VERSION4-35

W

- WALLET10-13
WITH ADMIN OPTION19-5, 19-6
WITH GRANT OPTION19-10