



Index

!=(différent de).....	5-3
%FOUND.....	4-13, 6-14
%ISOPEN.....	6-14
%NOTFOUND.....	4-13, 6-14
%ROWCOUNT.....	4-13, 5-15, 6-14
%ROWTYPE.....	3-38, 6-5, 9-10, 10-15
%TYPE.....	3-37, 11-10
-(moins).....	2-5
/(barre oblique).....	2-5
@.....	1-10
@@.....	1-11
^(différent de).....	5-3
~=(différent de).....	5-3
<(inférieur à).....	5-3
<=(inférieur ou égal).....	5-3
>(différent de).....	5-3
=(égal).....	5-3
=>(association par nom).....	6-7
>(supérieur à).....	5-3
>=(supérieur ou égal).....	5-3

A

ACCEPT.....	1-17
ACCESS_INTO_NULL.....	7-5
AFTER.....	10-3, 10-4, 10-10, 10-12, 10-15, 10-26, 10-31
ALTER	
PACKAGE.....	9-19
AND.....	5-3
AS.....	8-17, 9-3, 9-6, 11-5, 11-8
Attribut.....	11-3
AUTONOMOUS_TRANSACTION.....	2-6, 6-22, 10-22
AUTOT[RACE].....	1-19

B

BEFORE.....	10-3, 10-4, 10-10, 10-12, 10-15, 10-16, 10-26, 10-31
BEGIN.....	2-5, 6-5, 7-3, 8-17, 9-7
BETWEEN.....	5-3
Bloc	
Anonyme.....	8-2
Déclaration.....	8-3
En-tête.....	8-3
Exception.....	8-3

Exécution.....	8-3
Fonction.....	8-2
Package.....	8-2
Procédure.....	8-2
Trigger.....	8-2
BOOLEAN.....	3-7
BULK COLLECT.....	4-4, 4-16, 4-21

C

CALL.....	8-18
CASE.....	5-8, 5-9
CASE_NOT_FOUND.....	7-6
CAST.....	3-29
Classe.....	11-3
CLEAR.....	1-15
COLLECTION_IS_NULL.....	7-6
COLLECT.....	3-28
COLUMN.....	1-14, 1-18
COMMIT.....	1-10, 2-6, 6-21, 6-22, 8-17
COMPILE.....	9-19
COMPOUND.....	10-12
CONNECT.....	1-8
Connexion.....	1-6
CONSTANT.....	3-7
CONSTRUCTOR.....	11-6, 11-7
COUNT.....	3-32
CREATE	
DIRECTORY.....	12-12
FUNCTION.....	8-19
PACKAGE.....	9-3
PACKAGE BODY.....	9-6, 9-16
PROCEDURE.....	8-16
TABLE.....	11-19
TABLE OF.....	11-23
TRIGGER.....	10-3, 10-12, 10-26, 10-31
TYPE.....	3-18, 3-27, 3-31, 11-5, 11-28
TYPE BODY.....	11-8
CREATE TABLE	
NESTED TABLE.....	3-27, 11-28
VARRAY.....	3-31
CURRENT OF.....	6-25
CURSOR.....	6-4, 6-21
CURSOR_ALREADY_OPEN.....	7-6

- D**
- DBMS_DDL
 CREATE_WRAPPED 12-3
- DBMS_JOB
 BROKEN 12-19
 CHANGE 12-19
 INTERVAL 12-19
 NEXT_DATE 12-19
 REMOVE 12-19
 RUN 12-19
 SUBMIT 12-17
 WHAT 12-19
- DBMS_METADATA
 GET_DDL 12-20
 GET_DEPENDENT_DDL 12-20
 GET_DEPENDENT_XML 12-20
 GET_XML 12-20
- DBMS_OUTPUT
 DISABLE 12-9
 ENABLE 12-9
 GET_LINE 12-11
 GET_LINES 12-11
 NEW_LINE 12-11
 PUT 12-11
 PUT_LINE 2-8, 8-11, 12-11
- DBMS_STANDARD 7-12
- DBMS_UTILITY
 FORMAT_ERROR_BACKTRACE 8-42
 FORMAT_ERROR_STACK 8-42
 GET_TIME 5-18, 6-10
- DECLARE 2-5, 6-4, 7-3, 8-17
- DEFAULT 8-37
- DEFINE 1-17
- DELETE 3-32, 4-12, 4-15, 6-25, 10-20
- DELETING 10-20
- DEREF 11-27
- DESCRIBE 1-12
- DISCONNECT 1-8
- DISTINCT 10-23
- DROP
 FUNCTION 8-31
 PACKAGE 9-20
 PROCEDURE 8-31
 TYPE 3-20, 3-29
- DUP_VAL_ON_INDEX 7-6
- E**
- ECHO 1-15
- EDIT 1-9
- ELSE 5-8
- END 2-5, 8-18
- ERROR
 ORA-00947 4-5
 ORA-00955 8-31
 ORA-01000 6-15
 ORA-01001 6-9
 ORA-01002 6-22
 ORA-01403 3-24, 4-3
 ORA-01422 4-4
- ORA-01426 3-10
- ORA-02291 7-10
- ORA-02292 7-10, 7-15
- ORA-02303 3-20
- ORA-04043 8-31
- ORA-06502 3-10, 3-15
- ORA-06503 8-21
- ORA-06531 3-33
- ORA-06532 3-31, 3-36
- ORA-06533 3-25
- ORA-06550 3-8
- ORA-22812 3-30
- ORA-30006 6-22
- PLS-00103 3-10
- PLS-00201 8-5
- PLS-00218 3-9, 3-11
- PLS-00221 8-23
- PLS-00306 8-35,
- PLS-00320 3-9
- PLS-00363 3-8, 8-34
- PLS-00382 3-9
- PLS-00430 5-17
- PLS-00642 4-5
- EXCEPTION 2-5, 7-3, 7-11, 8-17
- EXCEPTION_INIT 2-6, 7-3, 7-9
- EXECUTE 2-5
- EXECUTE IMMEDIATE 4-16
- EXISTS 3-32, 7-6
- EXIT 1-10, 5-10
- EXTEND 3-32
- F**
- FEEDBACK 1-15
- FETCH 6-8, 6-21
- FINAL 11-6, 11-15
- FIRST 3-32
- FOR 5-13, 6-17
- FOR UPDATE 6-20
- FOR UPDATE OF 6-24
- FORALL 5-15
- FUNCTION 8-8, 8-9, 11-5
- G**
- GET 1-9
- GRANT 1-4
- GROUP BY 10-23
- H**
- HEADING 1-15
- Héritage 11-4
- HIDE 1-17
- HOST 1-10
- I**
- IF-THEN 5-3
- IF-THEN-ELSE 5-2, 5-4
- IF-THEN-ELSIF 5-4

IN OUT 4-17, 4-20, 6-29, 8-16, 8-33, 8-36, 8-37
 IN_ 4-17, 4-20, 5-3, 6-29, 8-16, 8-33, 8-34, 8-37
 INDEX BY 3-21, 3-30
 INSERT 4-8, 4-12, 4-14, 10-20
 INSERTING 10-20
 Instance 11-3
 Instanciation 11-7
 INSTANTIABLE 11-16
 INSTEAD OF 10-3, 10-12, 10-23
 INTERSECT 6-4
 INTO 4-2, 4-16, 4-21, 6-8
 INVALID_CURSOR 7-6
 INVALID_NUMBER 7-6
 IS A SET 5-6
 IS DANGLING 11-27
 IS EMPTY 5-5
 IS NULL 5-3
 IS 8-17, 9-3, 9-6, 11-5, 11-8

L

LAST 3-32
 LCD 1-2
 LDD 1-2, 1-4
 LID 1-2
 LIKE 5-3
 LIMIT 3-32
 LINESIZE 1-13
 LIST 1-8
 LMD 1-2
 LOGIN_DENIED 7-6
 LOOP 5-10, 6-17

M

MAP 11-11
 MEMBER 11-5
 MEMBER OF 5-7
 MESSAGE 7-12
 Méthode 11-3
 MINUS 6-4, 10-23

N

NESTED TABLE 3-27, 11-28
 NEW 10-15, 10-19
 NEXT 3-32
 NO_DATA_FOUND 7-4, 7-6
 NOCOPY 8-37
 NOT 5-3
 NOT FINAL 11-15
 NOT INSTANTIABLE 11-16
 NOT NULL 3-8, 3-16
 NOT_LOGGED_ON 7-6
 NOWAIT 6-21
 NULL 2-5

O

OF 6-21, 6-24
 OLD 10-15, 10-19

OPEN 6-5, 6-6
 OPEN..FOR 6-27
 Opérateur
 BETWEEN 5-3
 IN_ 5-3
 IS A SET 5-6
 IS EMPTY 5-5
 IS NULL 5-3
 LIKE 5-3
 MEMBER OF 5-7
 NOT 5-3
 OR 5-3
 SUBMULTISET 5-7
 OR 5-3
 ORA_DICT_OBJ_NAME 10-27
 ORA_DICT_OBJ_OWNER 10-27
 ORA_DICT_OBJ_TYPE 10-27
 ORDER 11-11
 OTHERS 7-3, 7-4, 7-5, 7-8
 OUT 4-17, 4-20, 6-29, 8-16, 8-33, 8-35, 8-37
 OVERRIDING 11-16

P

PACKAGE 8-8, 8-9
 PACKAGE BODY 8-8, 8-9
 Pacquage
 DBMS_DB_VERSION 12-6
 PAGESIZE 1-13
 Paramètre
 PLSQL_CODE_TYPE 12-3
 PIPE ROW 8-25
 PIPELINED 8-25
 PL/SQL 1-4, 1-5, 2-2
 PRAGMA 2-6, 7-3, 7-9, 10-22
 PRINT 3-12
 PRIOR 3-32
 PROCEDURE 8-8, 8-9, 8-17, 11-5
 PROGRAM_ERROR 7-7
 PROMPT 1-17

Q

QUIT 1-10

R

RAISE 7-11, 7-12
 RAISE_APPLICATION_ERROR 7-3, 7-12, 10-7
 RAWTYPE_MISMATCH 7-7
 RECORD 3-16
 REF 11-26
 REF CURSOR 6-26
 REFERENCING 10-16
 REMARK 1-13
 REPLACE 3-18, 3-27, 3-31, 8-16, 8-19, 8-31, 9-3, 9-6, 9-16, 10-3, 10-26, 10-31, 11-5, 11-8, 11-28
 RESULT_CACHE 8-28
 RETURN 6-4, 6-5, 8-19, 8-22, 9-10, 11-9
 RETURNING 4-14, 4-15
 REVOKE 1-4

ROLLBACK2-6, 6-21
 ROW4-11
 RUN1-9, 2-5

S

SAVE1-9
 SELECT
 BULK COLLECT INTO4-4
 Curseur6-27
 FOR UPDATE6-23
 INTO4-2, 4-4
 SELF11-5, 11-10, 11-12
 SELF_IS_NULL7-7
 SEQUENCE3-11, 10-16
 SET SERVEROUTPUT
 OFF2-8, 8-11, 12-9
 ON2-8, 8-11, 12-9
 SHOW ERRORS8-7
 SPOOL1-11
 SQL1-2, 1-4, 1-5
 SQL dynamique4-16
 SQL%FOUND4-13
 SQL%NOTFOUND4-13
 SQL%ROWCOUNT4-13, 5-15
 SQL*Plus1-5, 1-6
 SQLCODE7-8, 8-42
 SQLERRM7-8, 7-12, 8-42
 SQLPLUS1-7
 SQLPROMPT1-14
 STANDARD7-5, 7-11
 START1-10
 START WITH10-23
 STATIC11-5
 STORAGE_ERROR7-7
 SUBMULTISET5-7
 SUBSCRIPT_BEYOND_COUNT7-7
 SUBTYPE3-15

T

TABLE3-21, 3-24, 11-28
 TERMOUT1-14
 THEN7-3
 TIMEOUT_ON_RESOURCE7-7
 TIMING1-15
 TOO_MANY_ROWS7-7
 TRIGGER8-8, 8-9
 TRIM3-32
 TRIMPOOL1-15
 TYPE
 CURSOR9-9
 RECORD3-16
 REF CURSOR6-26
 TABLE3-21, 3-24, 11-28
 VARRAY3-30
 Type de donnée
 BFILE3-6
 BINARY_DOUBLE3-4
 BINARY_FLOAT3-4
 BINARY_INTEGER3-4, 3-22

BLOB3-6
 CHAR3-5
 CLOB3-6
 DATE3-6
 INTERVAL DAY TO SECOND3-6
 INTERVAL YEAR TO MONTH3-6
 Le tableau associatif3-21, 3-30
 Le tableau imbriqué3-21
 Le tableau imbriqué3-24, 8-24, 8-25, 11-28
 Le tableau pré-dimensionnés3-21, 3-30, 8-24, 8-25
 LONG3-6
 LONG RAW3-6
 NCHAR3-5
 NCLOB3-6
 NUMBER3-3
 NVARCHAR23-5
 PLS_INTEGER3-5, 3-22
 ROWID3-7
 SIMPLE_DOUBLE3-5, 3-11
 SIMPLE_FLOAT3-5, 3-11
 SIMPLE_INTEGER3-5, 3-11
 TABLE3-21, 3-24, 3-30, 8-24, 8-25
 TIMESTAMP3-6
 TIMESTAMP WITH LOCAL TIME3-7
 TIMESTAMP WITH TIME ZONE3-7
 UROWID3-7
 VARCHAR23-5, 3-22
 VARRAY3-21, 3-30, 8-24, 8-25

U

UNDEFINE1-17
 UNDER11-5
 UNION6-4, 10-23
 UNION ALL10-23
 UPDATE4-11, 4-12, 4-15, 6-25, 10-20
 UPDATING10-20
 USER1-13
 USER_ERRORS8-7
 USING4-17, 4-20, 6-29
 UTL_FILE
 FCLOSE12-14
 FCLOSE_ALL12-14
 FFLUSH12-16
 FILE_TYPE12-14
 FOPEN12-13
 GET_LINE12-16
 IS_OPEN12-14
 NEW_LINE12-15
 PUT12-15
 PUT_LINE12-16

V

VALUE11-26
 VALUE_ERROR7-7
 Variable de substitution1-15
 Variables de liaison3-11
 VARRAY3-30
 VERIFY1-16
 VIEW8-8, 8-9

